



CEILING STAR LIGHT

CARDi -- INTELLIGENT LIGHTING SYSTEM DEVELOPER MAKE EVERY
JOURNEY ENJOYABLE AND INSPIRING

PRODUCT CATALOG

CARDi SMART CAR AMBIENT LIGHTING SYSTEM



CEILING
STAR LIGHT

SMART AMBIENT LIGHT SYSTEM ✨

01/02 | Control methods & Hotsell Models

03/04 | Optical Fiber Introduction

05/06 | Twinkle Star Light Machine

07/08 | Starry Sky+ Meteor Machine

09/10 | RGBW Starry Sky Machine

11/12 | 220V Household Star Light Machine

13/15 | Optional Packages

In the environment of 64-color ambient lighting, experience the ceiling light and enjoy the fun of watching stars in the car.

Help you create a unique driving atmosphere and let your car 'walk' on the road with Meteor. The new generation of ceiling ambient lighting brings you a stunning and beautiful visual feast.

CONTROL METHOD

APP+REMOTE

APP

Supports Iphone/android Systems Bluetooth
Connection Free Switching

1. Scan The Control Box Qr Code To Download And Install The App
2. Turn On Bluetooth On Your Phone To Automatically Connect and Control the Atmosphere Light

REMOTE



STYLE1



STYLE2



Hot selling styles

APP Control
Remote control
Music Mode

CARDI — INTELLIGENT LIGHTING
SYSTEM DEVELOPER
MAKE EVERY JOURNEY ENJOYABLE
AND INSPIRING

APP DOWNLOAD



Available on the
App Store

GET IT ON
Google Play

Hot

LIGHT SOURCE DEVICE
STAR / METEOR DUAL USE
APP light source:RGBW
APP+RF Remote control+Voice Control

STAR OPTICAL FIBER
Article 350*0.75mm*3m
Article 30*1.5mm*3m

METEOR FIBER*2
Article 100*0.75mm*3m *2
(10 portions for meteor light)

[Package 1] Full Car Roof Star 380+Meteor 200
Suitable for: small car/large sunroof/small area/low density

Hot

LIGHT SOURCE DEVICE
STAR / METEOR DUAL USE
APP light source:RGBW
APP+RF Remote control+Voice Control

STAR OPTICAL FIBER *2
Article 350*0.75mm*3m *2
Article 30*1.5mm*3m *2

METEOR FIBER *2
Article 100*0.75mm*3m *2
(10 portions for meteor light)

[Package 11] Full Car Roof Star 760+Meteor 200
Applicable: medium/large car/small sunroof/no sunroof/
high density/making pattern modeling

Hot

LIGHT SOURCE DEVICE
STAR / METEOR DUAL USE
APP light source:RGBW
APP+RF Remote control+Voice Control

STAR OPTICAL FIBER*2
Article 350*0.75mm*3m *2
Article 30*1.5mm*3m *2

METEOR FIBER *2
Article 100*0.75mm*3m *2
(10 portions for meteor light)

[Package 7] Full Car Roof Star 760+Meteor 200
Suitable for: medium/large car/small sunroof/no sunroof/high density/
design modeling

Hot

LIGHT SOURCE DEVICE
STAR / METEOR DUAL USE
APP light source:RGBW
APP+RF Remote control+Voice Control

STAR OPTICAL FIBER
Article 350*0.75mm*3m
Article 30*1.5mm*3m

METEOR FIBER
Article 100*0.75mm*3m
(10 portions for meteor light)

[Package 13] Full Car Roof Star 380+Meteor 100
Suitable for: small car/large sunroof/small area/low density

Full Roll Optical Fiber



0.5mm 6000m/roll
0.75mm 2700m/roll
1.0mm 1500m/roll
1.5mm 700m/roll
2.0mm 350m/roll
3.0mm 150m/roll



Fiber optic coupler (Caliber 20mm/30mm)



The motor part of the motor
lighting head is composed
of 30 high-brightness LEDs

7.0mm can hold
maximum 50 pieces
It is recommended to
install 10-20 strips per hole
position

LIGHT SOURCE APERTURE PARAMETERS

FIBER DIAMETER	NUMBER OF OPTICAL FIBERS (DIAMETER 20MM)	NUMBER OF OPTICAL FIBERS (DIAMETER 30MM)
0.5mm	1100 pieces	2600 pieces
0.75mm	500 pieces	1200 pieces
1.0mm	300 pieces	650 pieces
1.5mm	130 pieces	300 pieces
2.0mm	75 pieces	160 pieces
3.0mm	33 pieces	70 pieces
4.0mm	/	40 pieces
5.0mm	/	27 pieces

Cutting Optical Fibers




F100: 100pcs*0.75 mm* 3 m (For Meteor)

F380: 350pcs*0.75 mm* 3 m +30pcs*1.5 mm* 3 m(Optional Meteor)

F400: 350pcs*0.75 mm* 3 m +50pcs*1.5 mm* 3 m(Optional Meteor)

F450: 400pcs*0.75 mm* 3 m +50pcs*1.5 mm* 3 m(Optional Meteor)

F500: 500pcs*0.75 mm* 3 m(Optional Meteor)



SMART AMBIENT LIGHT SYSTEM

CARDI -- INTELLIGENT LIGHTING
SYSTEM DEVELOPER
MAKE EVERY JOURNEY ENJOYABLE
AND INSPIRING



TWINKLE STAR LIGHT MACHINE

Single Head Twinkle Machine

Voltage :DC12V Power :Max16W
Color :RGBW Size :95*55*180mm
Volume :RGBW light source=20MM
application :Twinkling starry sky
light source machine



S-1

Double Head Twinkle Machine

Voltage :DC12V Power :Max 26W
Color :RGBW Size :95*55*180mm
Volume :RGBW light source=20MM*2
application :Twinkling starry sky
light source machine



S-2

Single Head Twinkle Meteor Machine

Voltage :DC12V Power :Max16W
Color :RGBW Size :95*55*180mm
Volume :RGBW light source=20MM
10LED light source=5-7MM*10
application :Twinkling starry sky (meteor)
light source machine



S-3

Double Head Twinkle Meteor Machine

Voltage :DC12V Power :Max26W
Color :RGBW Size :95*55*180mm
Volume :RGBW light source=20MM*2
10LED light source=5-7MM*10
application :Twinkling starry sky
(meteor) light source machine



S-4


APP Control
Remote control
Music Mode



Built-in twinkle wheel, the twinkle function is closer to the starry sky effect.

Meteor consists of 10 LED light sources, programmed and controlled by a single-chip microcomputer, and fixed with a tight head, making installation more convenient, practical and efficient.

RGBW TWINKLE/METEOR 2.4G REMOTE CONTROL



Starry Sky + Meteor All-in-one Machine

Meteor 1 In 1 S-5

Voltage :DC12V Power :Max16W
 Color :RGBW Size :74*29*135mm
 Volume :RGBW light source=20MM 10LED light source =5-7MM*10
 application :Starry sky + meteor light source machine



Meteor 2 In 1 S-6

Voltage :DC12V Power :Max 26W
 Color :RGBW Size :74*29*135mm
 Volume :RGBW light source=20MM*2 10LED light source=5-7MM*10
 application :Starry sky + meteor light source machine



Small Single Head Meteor Machine S-7

Voltage :DC12V Power :Max16W
 Color :RGBW Size :74*29*160mm
 Volume :RGBW light source=20MM 10LED light source=5-7MM*10
 application :Starry sky + meteor light source machine



Small single head meteor machine

Voltage :DC12V Power :Max26W
 Color :RGBW Size :74*29*160mm
 Volume :RGBW light source=20MM*2 10LED light source=5-7MM*10
 application :Starry sky + meteor light source machine



S-8

Single head meteor machine

Voltage :DC12V Power :Max16W
 Color :RGBW Size :95*55*180mm
 Volume :RGBW light source=20MM 10LED light source=4-6MM*10
 application :Starry sky + meteor light source machine



S-9

Double head meteor machine

Voltage :DC12V Power :Max26W
 Color :RGBW Size :95*55*180mm
 Volume :RGBW light source=20MM*2 10LED light source=4-6MM*10
 application :Starry sky + meteor light source machine



S-10

36w-body machine

Voltage :DC12V Power :Max36W
 Color :RGBW Size :95*55*180mm
 Volume :RGBW Light Source=30MM 10LED Light Source=4-6MM*10
 application :Starry sky + meteor light source machine



S-11

Rgbw Light Source Machine

Single Head Flashlight



Voltage :DC12V Power :Max16W
Color :RGBW Size :35*160mm
Volume :RGBW light source=20MM
application :Starry Sky Light Source Machine

S-12

Double Head Flashlight



Voltage :DC12V Power :Max26W
Color :RGBW Size :35*240mm
Volume :RGBW light source=20MM*2
application :Starry Sky Light Source Machine

S-13

Small Double-head Machine



Voltage :DC12V Power :Max 26W
Color :RGBW Size :74*29*135mm
Volume :RGBW light source=20MM*2
application :Starry Sky Light Source Machine

S-14

Double-head Machine



Voltage :DC12V Power :Max26W
Color :RGBW Size :95*55*180mm
Volume :RGBW light source=20MM*2
application :Starry Sky Light Source Machine

S-15

Single Head Machine



Voltage :DC12V Power :Max16W
Color :RGBW Size :64*38*150mm
Volume :RGBW light source=20MM
application :Starry Sky Light Source Machine

S-16


Single Head Machine



Voltage :DC12V Power :Max 36W
Color :RGBW Size :95*55*180mm
Volume :RGBW light source=30MM
application :Starry Sky Light Source Machine

S-17

**Rgbw Full Color
2.4g Remote Control**



220V Household Star Light Machine

16w Single Head Machine

S-18

Voltage :220V Power :Max16W
 Color:RGBW Size :95*55*150mm
 Volume :RGBW light source=20MM
 application :Starry Sky Light Source Machine



16w Dual Head Machine

S-19

Voltage :220V Power :Max 26W
 Color:RGBW Size :95*55*180mm
 Volume :RGBW light source=20MM*2
 application :Starry Sky Light Source Machine



36w Single Head Machine

S-20

Voltage :220V Power :Max36W
 Color:RGBW Size :95*55*180mm
 Volume :RGBW light source=30MM
 application :Starry Sky Light Source Machine



220V LIGHT SOURCE MACHINE

SUITABLE FOR VARIOUS PLUGS



- European standard



- British Standard



- Chinese Standard



- Japanese Standard



LIGHT SOURCE DEVICE
STAR / METEOR DUAL USE
APP light source:RGBW
APP+RF Remote control+Voice Control



STAR OPTICAL FIBER
Article 350*0.75mm*3m
Article 30*1.5mm *3m



METEOR FIBER*2
Article 100*0.75mm*3m *2
(10 portions for meteor light)

[Package 1] Full Car Roof Star 380+Meteor 200
Suitable for: small car/large sunroof/small area/low density



LIGHT SOURCE DEVICE
STAR / METEOR DUAL USE
APP light source:RGBW
APP+RF Remote control+Voice Control



STAR OPTICAL FIBER
Article 400*0.75mm*3m
Article 50*1.5mm *3m



METEOR FIBER*2
Article 100*0.75mm*3m *2
(10 portions for meteor light)

[Package 2] Full Car Roof Star 450+Meteor 200
Suitable for: medium/small car/small sunroof/no skylight/medium area/density



LIGHT SOURCE DEVICE
STAR / METEOR DUAL USE
APP light source:RGBW
APP+RF Remote control+Voice Control



STAR OPTICAL FIBER*2
Article 350*0.75mm*3m *2
Article 30*1.5mm *3m *2



METEOR FIBER*2
Article 100*0.75mm*3m *2
(10 portions for meteor light)

[Package 3] Full Car Roof Star 760+Meteor 200
Suitable for: medium/large car/small skylight/no skylight/high density/design modeling



LIGHT SOURCE DEVICE
STAR / METEOR DUAL USE
APP light source:RGBW
APP+RF Remote control+Voice Control



STAR OPTICAL FIBER*2
Article 350*0.75mm*3m *2
Article 30*1.5mm *3m *2



METEOR FIBER *2
Article 100*0.75mm*3m *2
(10 portions for meteor light)

[Package 7] Full Car Roof Star 760+Meteor 200
Suitable for: medium/large car/small skylight/no skylight/high density/design modeling



LIGHT SOURCE DEVICE
STAR / METEOR DUAL USE
APP light source:RGBW
APP+RF Remote control+Voice Control



STAR OPTICAL FIBER*2
Article 400*0.75mm*3m *2
Article 50*1.5mm *3m *2



METEOR FIBER *2
Article 100*0.75mm*3m *2
(10 portions for meteor light)

[Package 8] Full Car Roof Star 900+Meteor 200
Suitable for: medium/large car/small skylight/no skylight/high density/design modeling



LIGHT SOURCE DEVICE
STAR / METEOR DUAL USE
APP light source:RGBW
APP+RF Remote control+Voice Control



STAR OPTICAL FIBER
Article 350*0.75mm*3m
Article 30*1.5mm *3m



METEOR FIBER
Article 100*0.75mm*3m
(10 portions for meteor light)

[Package 9] Full Car Roof Star 380+Meteor 100
Suitable for: small car/large sunroof/small area/low density



LIGHT SOURCE DEVICE
STAR / METEOR DUAL USE
APP light source:RGBW
APP+RF Remote control+Voice Control



STAR OPTICAL FIBER*2
Article 350*0.75mm*3m *2
Article 400*0.75mm*3m *2
Article 50*1.5mm *3m *2



METEOR FIBER*2
Article 100*0.75mm*3m *2
(10 portions for meteor light)

[Package 4] Full Car Roof Star 900+Meteor 200
Suitable for: medium/large car/small skylight/no skylight/high density/design modeling



LIGHT SOURCE DEVICE
STAR / METEOR DUAL USE
APP light source:RGBW
APP+RF Remote control+Voice Control



STAR OPTICAL FIBER
Article 400*0.75mm*3m
Article 30*1.5mm *3m



METEOR FIBER
Article 100*0.75mm*3m *2
(10 portions for meteor light)

[Package 5] Full Car Roof Star 380+Meteor 200
Suitable for: small car/large sunroof/small area/low density



LIGHT SOURCE DEVICE
STAR / METEOR DUAL USE
APP light source:RGBW
APP+RF Remote control+Voice Control



STAR OPTICAL FIBER
Article 400*0.75mm*3m
Article 50*1.5mm *3m



METEOR FIBER
Article 100*0.75mm*3m *2
(10 portions for meteor light)

[Package 6] Full Car Roof Star 450+Meteor 200
Suitable for: medium/small car/small sunroof/no sunroof/medium area/density



LIGHT SOURCE DEVICE
STAR / METEOR DUAL USE
APP light source:RGBW
APP+RF Remote control+Voice Control



STAR OPTICAL FIBER
Article 400*0.75mm*3m
Article 50*1.5mm *3m



METEOR FIBER
Article 100*0.75mm*3m
(10 portions for meteor light)

[Package 10] Full Car Roof Star 450+Meteor 100
Suitable for: small car/large sunroof/small area/low density



LIGHT SOURCE DEVICE
STAR / METEOR DUAL USE
APP light source:RGBW
APP+RF Remote control+Voice Control



STAR OPTICAL FIBER *2
Article 350*0.75mm*3m *2
Article 30*1.5mm *3m *2



METEOR FIBER *2
Article 100*0.75mm*3m *2
(10 portions for meteor light)

[Package 11] Full Car Roof Star 760+Meteor 200
Applicable: medium/large car/small sunroof/no sunroof/high density/making pattern modeling



LIGHT SOURCE DEVICE
STAR / METEOR DUAL USE
APP light source:RGBW
APP+RF Remote control+Voice Control



STAR OPTICAL FIBER *2
Article 400*0.75mm*3m *2
Article 50*1.5mm *3m *2



METEOR FIBER*2
Article 100*0.75mm*3m *2
(10 portions for meteor light)

[Package 12] Full Car Roof Star 900+Meteor 200
Applicable: medium/large car/small sunroof/no sunroof/high density/making pattern modeling

CARDI



LIGHT SOURCE DEVICE
STAR / METEOR DUAL USE
APP light source:RGBW
APP+RF Remote control+Voice Control



STAR OPTICAL FIBER
Article 350*0.75mm*3m
Article 30*1.5mm*3m



METEOR FIBER
Article 100*0.75mm*3m
(10 portions for meteor light)

[Package 13] Full Car Roof Star 380+Meteor 100
Suitable for: small car/large sunroof/small area/low density

CARDI



LIGHT SOURCE DEVICE
STAR / METEOR DUAL USE
APP light source:RGBW
APP+RF Remote control+Voice Control



STAR OPTICAL FIBER
Article 400*0.75mm*3m
Article 50*1.5mm*3m



METEOR FIBER
Article 100*0.75mm*3m
(10 portions for meteor light)

[Package 14] Full Car Roof Star 450+Meteor 100
Suitable for: small car/large sunroof/small area/low density

CARDI



LIGHT SOURCE DEVICE
STAR SINGLE FUNCTION
APP light source:RGBW
APP+RF Remote control+Voice Control



STAR OPTICAL FIBER
Article 350*0.75*3M
Article 30*1.5mm*3M

[Package 15] Single Function Sky Star 380 Stars
Suitable for: small car/large sunroof/small area/low density

CARDI



LIGHT SOURCE DEVICE
STAR SINGLE FUNCTION
APP light source:RGBW
APP+RF Remote control+Voice Control



STAR OPTICAL FIBER*2
Article 350*0.75*3M *2
Article 30*1.5mm*3M *2

[Package 16] Single Function Sky Star 760 Stars
Suitable for: small car/large sunroof/small area/low density

CARDI



LIGHT SOURCE DEVICE
STAR SINGLE FUNCTION
APP light source:RGBW
APP+RF Remote control+Voice Control



STAR OPTICAL FIBER
Article 350*0.75*3M
Article 30*1.5mm*3M

[Package 17] Single Function Sky Star 380 Stars
Suitable for: small car/large sunroof/small area/low density

CARDI



LIGHT SOURCE DEVICE
STAR SINGLE FUNCTION
APP light source:RGBW
APP+RF Remote control+Voice Control



STAR OPTICAL FIBER*2
350*0.75mm*3m *2
30 pieces*1.5mm*3m *2

[Package 18] Single Function Sky Star 760 Stars
Suitable for: medium/small car/small sunroof/no sunroof/medium area/density

